



A person with long hair, wearing a shiny, metallic, long-sleeved outfit, is performing on stage. The background is a dark purple with faint, glowing circular patterns.

TIPS FOR MIKING

A SHOW CHOIR

by Gene Houck

Show choirs come in many sizes and styles, but they all have one thing in common: an audience who wants to hear them. With that reality comes the challenge of overcoming a live band or mixed tracks as well as some not-so-acoustic-friendly rooms. It is a shame for a choir to do months of rehearsal only to have the audience not be able to hear their performance. So the question these days is not so much, “Do we need to mike the choir?” but instead, “How do we mike the choir?” The answer to this question can and does vary, so this article looks at some of the common methods as to what works and what doesn’t.



Show choirs are, of course, particularly challenging because of the combination of singing and choreography. Unlike most choral groups or church choirs that are stationary and limited to one area of a stage or platform, show choirs typically make use of the entire stage. When a live band is added, the proper use of microphones can be a mystery.

In fact, at most regional and national competitions, there is live instrumental accompaniment, which is typically louder than recorded tracks. The Show Choir National Championship Series (SCNCS), according to www.showchoirs.org, actually levies a penalty for using recorded accompaniment.

In this environment, one of the first decisions is whether to use wireless or wired microphones or a combination of both. More than likely, it will be a combination of both. Let's examine these options.

Wireless or Wired Microphones?

Many show choirs are taking a page from Broadway and investing in wireless microphones for all or part of the choir. These can be body-worn or handheld microphones; further, body-worn microphones can be headset microphones or miniature lavalier-style microphones clipped to clothing, taped to a cheek, or pinned in a performer's hair. If the choir is small enough, a case can be made that a wireless microphone gives the performer the flexibility to move freely while giving the sound

person the ability to control the sound. It is impractical, however, to consider wireless microphones for each singer for choirs ranging in size larger than sixteen to twenty members. Besides the enormous expense of multiple wireless microphones, having a plethora of live microphones brings with it serious sound mixing challenges.

One of the biggest challenges is trusting the "blend" of the choir to the mixing ability of a sound person. Choirs are made up of basses, baritones, tenors, first and second altos and sopranos, and they each have their unique part to sing. One of the duties of a good show choir director is to teach the performers how to blend their voices, how to listen to each other, how to express dynamics, and how to harmonize. All choirs have some singers who sing soft, some loud, and some, sorry to say, who may not be in perfect pitch. So, rather than relying on massive moves by a sound engineer to balance the mix of voices,

microphones should ideally be utilized to “capture” the choir’s natural blend.

These competing needs are why using wired microphones to mike multiple voices at a distance, along with a couple of wireless microphones on stands for soloists, is highly recommended—and this arrangement is also more affordable.

Which Wired Mike Should You Choose?

There are two types of wired microphones commonly utilized today: dynamic and condenser. The choice between a dynamic or condenser mike is typically dictated by the distance to the sound source. Dynamic microphones are commonly used for wired, handheld vocals. They are also effective on a stand for miking soloists. They are rugged and generally less expensive than condenser microphones.

A condenser microphone, however, is better suited for distance miking or capturing a larger area (such as a show choir) because of their higher sensitivity and output. Condenser microphones require phantom power provided from the mixing board. They are also more delicate and need to be stored properly, away from moisture. To determine if a microphone is a dynamic or condenser, turn off the phantom power at the mixer (there will be a button labeled “phantom” or “48volt”). Make sure that all volume faders are down before doing this! If the mike only works with the phantom power on, it is a condenser. Engaging phantom power will not damage your dynamic microphones.

Which Condenser Microphone Should You Choose?

For many years, theatres have used boundary mikes—low profile flat surface microphones—on the floor, typically positioned downstage by themselves or in tandem with hanging mikes positioned upstage. When using a boundary mike, always use a unilateral direction pattern, either cardioid (heart-shaped) or hypercardioid (tighter pattern on the sides). A unidirectional pattern will help to

Unlike most choral groups or church choirs that are stationary and limited to one area of a stage or platform, show choirs typically can make use of the entire stage. Add a live band and the proper use of microphones can be a mystery. In fact, at most regional and national competitions, there is a live instrumental accompaniment, which is typically louder than recorded tracks.

reduce feedback and restrict audience noise from entering the sound system. Additionally, you should always place foam or a piece of felt beneath the boundary mike to help minimize foot noise from dancers. Be warned that if a show choir has very intense dance routines, there may be too much foot traffic picked up even with foam or felt beneath the mike.

Hanging condenser microphones can also be effective. The biggest mistake when miking a choral group or choir is in using too many mikes, leading to increased feedback. A good condenser mike will be able to cover up to twenty stationary people. However, a show choir of twenty will typically cover twice as much square footage as a stationary choir. Even with a smaller show choir—fifteen singers or fewer—two or more microphones will be needed. Despite this guideline, always use the least number of microphones and maximize their coverage. Imagine a 60-degree cone emitting from the microphone—the best coverage is within the imaginary cone.

When equipping an area with multiple microphones, take care to avoid a phenomenon known as phase cancellation. Since sound travels in a wave, two microphones amplifying the same sound source can be hit by the same sound wave but at different intervals. The positive wave from one signal can cancel out the negative phase of another signal. The usual result is a dropout of

certain frequencies. This situation is referred to as “comb filtering.” To avoid this sound cancellation, always utilize the 3:1 rule: multiply the distance of the sound source (singers) to the microphone by three. Simply put, that is the distance the two microphones need to be from each other.

You will need to determine whether mikes will be hanging from above or placed on the platform. If you are hanging the mikes, you can choose from many manufacturers. Today’s show choirs, however, perform in many different rooms, so hanging microphones are often not an option. A good alternative is to place condenser microphones on stands. Since many show choirs are on risers, one of the biggest challenges is getting the microphones high enough to adequately pick up the higher rows.

Doug Secor, owner of Rockin’ Robin Productions in Ohio, shares some experienced insight for sound engineering a Show Choir. As he says, “For the past six years, we have been hired to do sound for show choirs in our region. It has been difficult to get the vocals out in front of the mix. We have learned from other sound companies that they, too, experienced the same frustrations. Most show choirs we encounter perform with drums, keyboards, amplified bass, and guitar. We recently tried the Audix Microboom utilizing the M1255B high output Micros series condenser with a shotgun capsule. The shotgun capsule has the enhanced ability to capture



PHOTO COURTESY VESTAVIA HILLS HIGH SCHOOL SHOW CHOIR / PHOTO BY ANGEL BAKER

sound from a distance, and it allowed us to place the mike four feet in front of the first row of singers but still capture the back rows. We also have found that the slender low profile look of the MicroBoom actually gets lost from the audience's visual perspective."

Doug continues, "For most show choirs up to twenty-four voices, we typically set up the shotgun mikes 6' in from the edge of the choir on a 24-30' stage and 4' in front. We set the mike height at 7-8', angled in slightly from the sides to capture half the singers with each mike. In short, we have been amazed with the results. We also supply two or three Audix OM3 wireless units on stands for soloists. For larger performances, we are using three or four MicroBooms across the front. In these situations we run every other microphone out of phase to minimize phase cancellation."

A Word About Monitors

Microphones should be placed behind the main speakers. If they are, and feedback occurs, the source of the feedback is most likely the monitors. Rule number one: Do not put the choir in the singers' monitor mix. The monitor mix should only have the recorded track or the instrumental accompaniment. Sound engineers and choir directors need to hold fast to this rule despite requests from the performers to hear themselves in the monitor mix.

Feedback is simply a microphone picking up itself from a speaker. Therefore, if the live mike is not in the monitor mix, the chances for feedback are reduced, and the ability to gain up the mikes in the front of house mix is greatly increased. The goal is to have the singers project as much as possible and to listen to each other. That being said, live musicians must understand that they are team players and that it is important to keep the stage volume down in order for the singers to better hear themselves on stage. Also, unlike the singers, instrumentalists do need some kind of choir mix in their monitors. Make sure that the band monitors are positioned away from the live microphones.

Encourage one of the singers or instrumentalists to go out front during a sound check to hear the positive results of teamwork and compromise.

Parting Shot

Not all venues are created equal; room acoustics can vary greatly. Compromises need to be made at times as performers may not hear exactly what they want in a monitor, or an instrumentalist may want to play louder than is necessary. Make sure that the choir director, singers, and instrumentalists are all on the same page and that everyone is working as a team to achieve the best sound and performance possible.

Let the show begin!

ABOUT THE AUTHOR: Gene Houck, now retired, was the National Sales Manager for Audix Corporation. Celebrating its 35th year, Audix manufactures a broad product line based on high-quality professional microphones. For more information, visit www.audixusa.com.



STAGING CONCEPTS

A Trex® Company

**CUSTOM STAGING SOLUTIONS
FOR HIGH SCHOOL THEATERS**

www.stagingconcepts.com